



**CONFER**  
*plastics inc.*

THE  
LEADER  
IN  
LADDERS

# The Industry Leader in Pool Ladders

## Model 7200



### Roll-Guard A-Frame Safety Ladder

#### Standard features of the Roll-Guard Ladder:

- Aesthetically pleasing contemporary design in beautiful warm gray color to complement today's brown or gray tone pools
- Large 5 inch x 18 inch wide Comfortreads
- Curved side rails designed with strength in mind
- Inner side rails include integrated side barriers to prevent entry behind the ladder
- Easy assembly with minimal hardware
- Adjusts to fit pools **48" to 56"** tall
- Lockable Roll-Guard Barrier (lock included)
- Extra-large top platform
- Just fill side rails with water to prevent floating, no sand or bricks needed
- Fits pool top seats up to 14 inches wide
- Weight guideline: **300 lbs.**
- Five year pro-rated warranty



#### G7200 Roll-Guard Gate

- Attached easily to our Roll-Guard Ladder to provide added security
- Self-closing and self-latching
- Satisfies most building inspector requirements
- Latch located well out of reach of small children
- Contoured design "hugs" ladder steps and restricts access
- Padlock included

Available Spring 2011- Conversion Kit to change a-frame ladder to deck ladder



## Model 7100B



### Evolution A-Frame Ladder

- Economical yet full-featured A-Frame Ladder
- Adjustable to fit **48" to 54"** high pools
- Each side adjusts independently
- Snap-lock treads for quicker, easier assembly
- Five treads on each side
- Swing-up outer treads for safety
- Outer treads can be padlocked (padlock included)
- Full 16" inside tread width
- Strong sturdy design
- Large top platform
- Minimal hardware
- No sand or bricks required; fills with water
- Five year pro-rated warranty
- Weight guideline: **300 lbs.**
- Padlock included



Convertible to Inpool Ladder using #CK7100 kit – sold separately.

Includes ANSI/APSP REQUIRED BARRIER

## Model 7000B



### The Eliminator Ladder

- Eliminator A-Frame Ladder for **48" to 54"** pools
- Heavy-duty construction
- Outside treads swing up into an upright position for security
- No sand or bricks required to prevent floating; fills with water
- Outer treads can be padlocked (cable lock included)
- Weight guideline: **300 lbs.**
- Treads measure 5" x 18" wide
- Five year pro-rated warranty



Convertible to Inpool Ladder using #CK100 kit – sold separately.

Includes ANSI/APSP REQUIRED BARRIER

# A FRAME LADDERS, IN POOL

## Model 6000B



### Heavy-Duty Inpool Ladder

- Five large treads
- Treads measure 5" x 18" wide
- 22" high handrails; 9-1/2" span
- All-plastic construction
- Weight guideline: **300 lbs.**
- Adjusts to fit deck heights **42" to 56"**
- Five year pro-rated warranty
- Optional #6000-EXT Extension Kit available



**Includes  
ANSI/APSP  
REQUIRED  
BARRIER**

## Model 6100B



### Evolution Inpool Ladder

- Economical, full-featured inpool ladder
- Fits decks up to **54" high**
- Snap-lock treads for quicker, easier assembly
- Five treads
- Full 16" inside tread width
- Strong sturdy design
- Minimal hardware
- No sand or bricks required; fills with water
- Attaches easily to deck; no extra parts required
- Five year pro-rated warranty
- Weight guideline: **300 lbs.**
- Optional #6100-EXT Extension Kit available



**Includes  
ANSI/APSP  
REQUIRED  
BARRIER**

## Model 635-52



### Economy Inpool Ladder

- Straight Up and Down Inpool
- Does not require barrier
- Adjusts to fit deck heights **46" to 56"**
- 18" Width; 22" High handrails
- Weight guideline: **250 lbs.**
- One year full warranty
- Optional EB100 extension kit available

# LADDERS, & POOL STEPS

## Step-1



### Confer Step

#### Designed for easy pool entry

- Inpool Step for 48" to 58" pools and decks
- Easy, snap-together assembly
- Large, flat steps each with 270 square inches of surface area
- Compact packaging – can be shipped by UPS-FEDEX
- Includes mounting brackets to fasten to deck
- Side openings help to reduce algae growth under unit
- Weight guideline: **400 lbs**
- Five year pro-rated warranty
- Requires 40 pounds of sand for installation

**Note: The Confer-Step is designed for use in flat-bottom pools only. Our Pool Entry System can be adjusted to fit most dished-bottom pools.**

## Model 8000



### Entry Ladder

#### Economical Entry/Exit System

- When combined with #Step-1 it forms an economical Entry/Exit System for 48" to 54" pools
- Outside treads swing up into an upright position for security
- 18" wide; 22" high handrail, 9-1/2" span
- Weight guideline: **300 lbs.**
- Cable lock included




**To make the complete Entry/Exit System you will need to purchase both:**  
(1) #8000 Entry Ladder  
(1) #Step-1  
(total of 2 cartons)

## "Safe and Secure" System



### Model S.I.G.

- Satisfies most building inspector and insurance requirements in most states
- Self-closing, self-latching gate restricts access to pool
- Gate includes self-closing mechanism (see inset photo) for a sure close everytime
- Gate includes padlock for complete security
- Inpool ladder takes up minimal space inside pool
- Steps and ladder can be separated and used individually if a deck is built
- Inpool ladder features anti-entrapment barrier



Now with  
Automatic Gate Closer!

# POOL STEPS (CONT'D)

## Model PES



### Pool Entry System

**An excellent system for safety and convenience.**

- Meets **ANSI/APSP** standards
- Adjusts to fit **48" to 54"** pools and decks
- Adjusts to fit most uneven or dished-bottom pools
- Top step covers the pool top seat in most installations
- Easy assembly; no metal parts
- Does not attach to pool
- Side openings help to reduce algae growth under unit
- Excellent for elderly, slightly handicapped, or heavy swimmers
- Non-slip step surfaces
- Large, flat steps each with 270 square inches of surface
- Includes deck connector
- Fills with water to prevent floating; no sand needed
- Weight guideline: **400 lbs.**
- Five year, pro-rated warranty
- Includes Automatic Gate Closer

#### Pool Entry System Specifications:

Projection into pool	36"
Width	31"
Step dimension	10" x 27"
Riser height	11"
Handrail height	32" from top step
Specifications subject to change without notice. (all specifications are approximate)	

#### Gate Specifications:

Height of gate	58"
Width of gate	27"
Height of latch	57"
Gate is self closing self latching (all specifications are approximate)	

#### Available in following configurations:

- Model #PES-1 - Individual Entry System for use off of a deck
- Model #PES-DBL - Two Entry Systems with gate for use on pools without a deck
- Model #PES-G - Gate only

Important: **For safety, all of our products should be used with competent supervision.**



**Confer Plastics, Inc.**  
97 Witmer Road  
North Tonawanda, NY USA 14120-2421  
800-635-3213  
Fax: 716-694-3102  
www.conferladders.com  
email: ladders@conferplastics.com



## Enclosure System

# Confer-Step Enclosure System




To make the complete System you will need:

- (2) #Step-1 units  
(2 cartons)
- (1) #Step-ENC kit w/gate  
(2 cartons)
- (total of 4 cartons)

The Enclosure System provides security first, by enclosing the steps with pickets, and secondly, with its self-closing, self-latching gate. It meets current BOCA codes and satisfies most building inspectors.

Allows two #Step-1 units to be joined together, enclosed, and gated to restrict access by small children. Kit consists of connecting step, connecting rails, enclosure pickets and rails, and a self-closing, self-latching gate (includes automatic gate closer).

**Note: For best results place outside step units on level patio blocks.**



## Skim-It

- Increases skimmer efficiency
- Attaches easily to most skimmers without tools
- Low cost, easy to use
- Blade is easily removable when swimming