

Insta-TEST[®] 6 Plus

50 Pool & Spa Test Strips

50 Tiras de análisis para piscinas y spas

50 Languettes d'analyse pour piscines et spas

- **FREE CHLORINE**
- **BROMINE**
- **TOTAL CHLORINE**
- **ALKALINITY**
- **pH**
- **TOTAL HARDNESS**
- **CYANURIC ACID**

- **CLORO LIBRE**
- **BROMO**
- **CLORO TOTAL**
- **ALCALINIDAD**
- **pH**
- **DUREZA TOTAL**
- **ACIDO CIANURICO**
- **CHLORE LIBRE**
- **BROME**
- **CHLORE TOTAL**
- **ALCALINITE**
- **pH**
- **DURETE TOTALE**
- **ACIDE CYANURIQUE**

LaMotte
Just DIP & READ!

Immerse strip for 2 seconds. Remove with pads face up. **SHAKE ONCE TO REMOVE EXCESS WATER.** Read immediately:

FCl > TCl > Alk > pH > TH > CyA

Sumergir la tira durante 2 segundos. Sacarla del agua con las almohadillas hacia arriba. **SACUDIR UNA VEZ PARA ELIMINAR EL EXCESO DE AGUA.**

Comparar el color inmediatamente:

FCl > TCl > Alk > pH > TH > CyA

Immerger la bande pour 2 secondes. Retirer la face au dessus. SECOUER POUR ELIMINER L'EXCEDENT D'EAU. Lecture immédiate: FCl > TCl > Alk > pH > TH > CyA

Enter the Insta-TEST[®] 6 Plus test strip results into your smartphone to receive recommendations instantly! For more details, go to www.insta-link.com/poolspa.

LaMotte Company, Chestertown, MD 21620 USA
www.lamotte.com/insta



Code
3028-1A



6 375951 44935 2

FCl
Free Chlorine
Cloro libre
ppm

OK
0 0.5 1 3 5 10
Bromo/Brome (Br)
(0) (1) (2) (6) (10) (20)

TCl
Total Chlorine
Cloro total
ppm

OK
0 0.5 1 3 5 10

Alk
Alkalinity
Alcalinidad
ppm

OK
0 40 80 120 180 240

pH

OK
6.2 6.8 7.2 7.8 8.4 9.0

Si se leet, indique ou brome trop élevé.

Purple color indicates excessive sanitizer.
El tono morado indica un exceso de cloro reactante

TH
Total Hardness
Dureza total
ppm

OK
0 100 250 450 800+

CyA
Cyanuric Acid
Acido cianurico
ppm

OK
0 40 100 150 250

For best results, pH must be between 7.0-8.4

Para obtener mejores resultados el pH debe estar entre 7.0 y 8.4

Drop holding box and dotted tolerance line